Inspection Report

South Dakota Cosmetology Commission 500 E Capitol Ave Pierre, SD 57501 605-773-6193 cosmetology@state.sd.us

A. SALON OR BOOTH NAME:	Wasa Donna Schoon Booth
ADDRESS: 540 Falon Grest On	
OWNER NAME: Dana Schoon TELEPHONE NUMBER:	
SALON or BOOTH LICENSE NUMBER: CR- OVX 3 EXPIRATION DATE: 9-17-72	
B. TYPE OF SALON: 1. Sater Booth Re 2. Cosmetology (all) Hair	ental Home Limited Esthetics Nails Other
2. Cosmetology (all) Hair Esthetics Nails Other TYPE OF INSPECTION: 3. New Routine Re-Inspection Investigation	
C. List of Personal Licensees (first & last)	
Darna Schoon Lic#_	Cu-00861- Expires: 4-12-22 Expires:
Lic#_	Expires:
	Expires:
Lic#_	Expires:
Lic#_	Expires:
Lic#	Expires:
Lic#_	Expires:
Use additional sheet if more space is needed.	Lxpires
	NO is NOT satisfactory SDCL 36-15 ARSD 20:42
YES NO 1. Current licenses; Rules/Regulations, Unregulated YES NO 2. Fire Extinguisher, ABC type, 5 lbs., easily access	d Services Sign – Displayed
VES NO 3. First aid kit that contains adhesive dressings glove	ves, antiseptic, gauze, tape, blood spill procedures
YES NO.4. Certified for microdermabrasion and/or electric na	il files and/or eyelash extensions
YES NO 5. Disinfectant available at each work station and in	cludes manufacturer label
YES NO 6. Disinfectant meets virucidal, fungicidal, and bactericidal requirements	
YES NO 7. Disinfectant container labeled, closed and large enough to completely immerse all implements	
YES NO/8. Disinfectant (if mixed) fresh, clean and free from o	
YES NO 9. Pedicure spa and tools clean and disinfected imm	ediately after each use
MESNO 40 Floors wells seilings fixtures wents clean and in	good rappir
YES NO 10. Floors, walls, ceilings, fixtures, vents clean and in YES NO 11. Plumbing, hot/cold running water and central sewa	good repair
VES NO 12. Electrical, appliance cords and outlets safe and in	good renair
YES NO 13. Ventilation in work area	good repail
13. Veritilation in work area	n
YES NO 15. Storage cabinet or room for harmful supplies	Ρ
10. Otorage capinet of room for flammar supplies	
YES NO 16. Hair work stations immediately clean and disinfect	ed after each use
YES NO 17. Nail work stations immediately clean and disinfected	ed after each use
YES NO 18. Esthetics work stations immediately clean and disi	
YES NO 9. Waste containers closed, labeled and emptied whe	
YES NO 20. Sinks clean and disinfected immediately after each	
YES NO 21. Hand sanitizer or hand-washing facilities available for use	
YES NO 22. Clean closed labeled containers to store only clear	ned and disinfected implements and tools
YES NO 23. Clean closed labeled containers to store only clean	
YES NO 24. Closed, labeled containers for soiled towels, linens	s, implements
YES NO 25. Hair tools new and/or clean and disinfected	
YES NO 26. Wigs covering used to prevent direct contact of clie	ent's scalp or hair
YES NO 27. Clean cape used on each client or clean towel or r	neck strip if reusing a cape
YES NO 28. Nail tools new and/or clean and disinfected	
YES NO 29. Esthetics tools new and/or clean and disinfected	
YES NO 30. All single-use items immediately disposed in trash YES NO 31. All products are clean, closed, and labeled correct	
YES NO 31. All products are clean, closed, and labeled correct YES NO 32. Fluids, semifluids, creams and powders kept in cle	an closed labeled containers
YES NO 33. Items listed in 30. dispensed with a disinfected spa	atula, shaker, pump, spray dispenser or single-use item
YES NO 34 Equipment for waxing hair removal services kept of	lean and disinfected
YES NO 35. Electrical equipment clean and disinfected after ea	ch service (electric clippers, electric files or curling irons)
YES NO 36. Attachments for electrical equipment clean and dis	sinfected and stored in a clean, closed labeled container
YES NO 37. Home Salons – separate exit – separate from resid	
no disusted in the Salon at all and nothing labol.	
No disused in the Salon at all and nothing label.	
	Pate: 10-11-21 Time 10! 20
Signature: Inspector signature Apple	
Signature: Licensee reviewed inspection report with Inspector YES Inspector signature NO (if "no" why not)	
RECHECK FAIL PASS	