

Reinspection - had new permit - Can use for new permit

Inspection Report

South Dakota Cosmetology Commission
500 E Capitol Ave Pierre, SD 57501
605-773-6193 cosmetology@state.sd.us

A.

SALON OR BOOTH NAME: Washington Crossing Salon

ADDRESS: 4709 E 6th CITY: Sioux Falls

OWNER NAME: Jill Kadinger TELEPHONE NUMBER: 323-9416

SALON or BOOTH LICENSE NUMBER: CP-08577-17 EXPIRATION DATE: 10-1-17

B. TYPE OF SALON:

TYPE OF INSPECTION:

1. Salon Booth Rental Home Limited
2. Cosmetology (all) Hair Esthetics Nails Other
3. New Routine Re-Inspection Investigation

C. During all working hours.

YES is satisfactory NO is NOT satisfactory

SDCL 36-15 ARSD 20:42

- ☒ YES ☐ NO 1. Current licenses; Rules/Regulations, Unregulated Services Sign – Displayed _____
- ☒ YES ☐ NO 2. Certified for microdermabrasion and/or electric nail files and/or other _____
- ☒ YES ☐ NO 3. Fire Extinguisher, ABC type, 5 lbs., easily accessible, charged has one in hallway
- ☒ YES ☐ NO 4. First aid kit that contains adhesive dressings, gloves, antiseptic, gauze, tape, blood spill procedures _____
- ☒ YES ☐ NO 5. Disinfecting agent(s) available at station _____
- ☒ YES ☐ NO 6. Disinfecting agent meets virucidal, fungicidal, and bactericidal requirements _____
- ☒ YES ☐ NO 7. Disinfectant container available (large enough) _____
- ☒ YES ☐ NO 8. Disinfectant (if mixed) fresh, clean and free from contaminants _____
- ☒ YES ☐ NO 9. Clean closed containers - to store only cleaned or disinfected tools _____
- ☒ YES ☐ NO 10. Closed, labeled containers for soiled towels, linens, tools _____
- ☒ YES ☐ NO 11. Pedicure station and tools clean and disinfected after each use _____
- ☒ YES ☐ NO 12. Floors clean (no hair or nail clippings) and in good repair _____
- ☒ YES ☐ NO 13. Walls, ceilings, fixtures, vents clean and in good repair _____
- ☒ YES ☐ NO 14. Plumbing, hot/cold running water and central sewage system _____
- ☒ YES ☐ NO 15. Electrical, appliance cords and outlets safe and in good repair _____
- ☒ YES ☐ NO 16. Ventilation in work area _____
- ☒ YES ☐ NO 17. Restroom, clean with disposable towels, liquid soap _____
- ☒ YES ☐ NO 18. Storage room or cabinet for harmful supplies _____
- ☒ YES ☐ NO 19. Hair work stations clean and disinfected Rust containers & residue from rollers & hair
- ☒ YES ☐ NO 20. Nail work stations clean and disinfected _____
- ☒ YES ☐ NO 21. Esthetics work stations clean and disinfected _____
- ☒ YES ☐ NO 22. Waste Containers emptied at least daily _____
- ☒ YES ☐ NO 23. Sinks clean and disinfected, no hair or soap scum _____
- ☒ YES ☐ NO 24. Hand sanitizer or hand-washing facilities available for use _____
- ☒ YES ☐ NO 25. Hair tools new and/or clean and disinfected Rollers: hair & rust
- ☒ YES ☐ NO 26. Nail tools new and/or clean and disinfected _____
- ☒ YES ☐ NO 27. Esthetics tools new and/or clean and disinfected _____
- ☒ YES ☐ NO 28. All single-use items disposed after each use _____
- ☒ YES ☐ NO 29. All products are clean, closed, and labeled correctly, includes wax little wax pot
- ☒ YES ☐ NO 30. Dispersal tools or equipment is used for products _____
- ☒ YES ☐ NO 31. Electrical equipment clean and disinfected (electric clippers, electric files or curling irons) _____
- ☒ YES ☐ NO 32. Attachments for electrical equipment clean and disinfected _____
- ☒ YES ☐ NO 33. Private Residences – separate exit – separate from residential area _____
- ☒ YES ☐ NO 34. Other laws and/or rules that apply (list) _____

D. List of Personal Licensees (first & last)

<u>Jill Kadinger</u>	Lic # <u>CO - 02252-18</u>	Expires: <u>2-24-18</u>
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____
_____	Lic # _____	Expires: _____

Use additional sheet if more space is needed.

E. Comments: Open wed, Thurs all day, Friday till around 2

F.

Date: 8-10-17 Time 10:45

Signature: _____ Inspector signature Mary Rasmussen

Licensee reviewed inspection report with Inspector YES NO (if "no" why not)

RECHECK

FAIL

PASS