

Inspection Report

South Dakota Cosmetology Commission
500 E Capitol Ave Pierre, SD 57501
605-773-6193 cosmetology@state.sd.us

A.

SALON OR BOOTH NAME: Star Nails
ADDRESS: 5109 S Cluff CITY: Sioux Falls
OWNER NAME: Quynh Dinh Nguyen TELEPHONE NUMBER: 274-3575
SALON or BOOTH LICENSE NUMBER: NS-06324-19 EXPIRATION DATE: 3-1-19

B. TYPE OF SALON:

TYPE OF INSPECTION:

1. Salon

2. Cosmetology (all)

3. New

Booth Rental

Hair

Routine

Home

Esthetics

Re-Inspection

Limited

Nails

Investigation

Other _____

C. During all working hours.

YES is satisfactory NO is NOT satisfactory

SDCL 36-15 ARSD 20:42

- ☒ YES ☐ NO 1. Current licenses; Rules/Regulations, Unregulated Services Sign – Displayed _____
☒ YES ☐ NO 2. Certified for microdermabrasion and/or electric nail files and/or eyelash extensions _____
☒ YES ☐ NO 3. Fire Extinguisher, ABC type, 5 lbs., easily accessible, charged _____
☒ YES ☐ NO 4. First aid kit that contains adhesive dressings, gloves, antiseptic, gauze, tape, blood spill procedures _____
☒ YES ☐ NO 5. Disinfecting agent(s) available at station _____
☒ YES ☐ NO 6. Disinfecting agent meets virucidal, fungicidal, and bactericidal requirements _____
☒ YES ☐ NO 7. Disinfectant container available (large enough) _____
☒ YES ☐ NO 8. Disinfectant (if mixed) fresh, clean and free from contaminants _____
☒ YES ☐ NO 9. Clean closed containers - to store only cleaned or disinfected tools _____
☒ YES ☐ NO 10. Closed, labeled containers for soiled towels, linens, tools _____
☒ YES ☐ NO 11. Pedicure station and tools clean and disinfected after each use _____

☒ YES ☐ NO 12. Floors clean (no hair or nail clippings) and in good repair _____
☒ YES ☐ NO 13. Walls, ceilings, fixtures, vents clean and in good repair _____
☒ YES ☐ NO 14. Plumbing, hot/cold running water and central sewage system _____
☒ YES ☐ NO 15. Electrical, appliance cords and outlets safe and in good repair _____
☒ YES ☐ NO 16. Ventilation in work area _____
☒ YES ☐ NO 17. Restroom, clean with disposable towels, liquid soap _____
☒ YES ☐ NO 18. Storage room or cabinet for harmful supplies _____

☒ YES ☐ NO 19. Hair work stations clean and disinfected _____
☒ YES ☐ NO 20. Nail work stations clean and disinfected Some stations dust - some stations pens & paper in w/ sanitized implement
☒ YES ☐ NO 21. Esthetics work stations clean and disinfected _____
☒ YES ☐ NO 22. Waste Containers emptied at least daily _____
☒ YES ☐ NO 23. Sinks clean and disinfected, no hair or soap scum _____
☒ YES ☐ NO 24. Hand sanitizer or hand-washing facilities available for use _____

☒ YES ☐ NO 25. Hair tools new and/or clean and disinfected _____
☒ YES ☐ NO 26. Nail tools new and/or clean and disinfected Couple station tools
☒ YES ☐ NO 27. Esthetics tools new and/or clean and disinfected _____
☒ YES ☐ NO 28. All single-use items disposed after each use _____
☒ YES ☐ NO 29. All products are clean, closed, and labeled correctly, includes wax _____
☒ YES ☐ NO 30. Dispersal tools or equipment is used for products _____
☒ YES ☐ NO 31. Electrical equipment clean and disinfected (electric clippers, electric files or curling irons) _____
☒ YES ☐ NO 32. Attachments for electrical equipment clean and disinfected _____

☒ YES ☐ NO 33. Private Residences – separate exit – separate from residential area _____
☒ YES ☐ NO 34. Other laws and/or rules that apply (list) _____

D. List of Personal Licensees (first & last)

<u>Dung Phan</u>	Lic # <u>NT-11956-18</u>	Expires: <u>7-15-18</u>
<u>Murder Lu</u>	Lic # <u>NT-11277-19</u>	Expires: <u>5-1-19</u>
<u>Quynh Phan</u>	Lic # <u>NT-09589-18</u>	Expires: <u>11-29-18</u>
<u>Quynh Dinh Nguyen</u>	Lic # <u>NT-09540-19</u>	Expires: <u>2-11-19</u>
<u>Duong Thai</u>	Lic # <u>NT-12256-18</u>	Expires: <u>6-21-18</u>
<u>Thanh Thai</u>	Lic # <u>NT-12024-18</u>	Expires: <u>12-2-18</u>
<u>Hoi Bui</u>	Lic # <u>NT-12339-19</u>	Expires: <u>4-20-19</u>
	Lic # _____	Expires: _____

Use additional sheet if more space is needed.

E. Comments:

license is to match person working @ the station they are at.
customer should not be left for you to run & clean & dump everything -
Implements & station are to be sanitary @ all times.

F.Date: 5-1-18Time: 1:45Signature: Mindy LeeInspector signature: Mary Rasmussen

Licensee reviewed inspection report with Inspector YES NO (if "no" why not)

RECHECK

FAIL

PASS