

# Inspection Report

South Dakota Cosmetology Commission  
500 E Capitol Ave Pierre, SD 57501  
605-773-6193 cosmetology@state.sd.us

## A.

SALON OR BOOTH NAME: Jamaree Duncan Booth

ADDRESS: 707 E 41<sup>st</sup> CITY: Sioux

OWNER NAME: Jamaree Duncan TELEPHONE NUMBER: 605-731-6755

SALON or BOOTH LICENSE NUMBER: EB-10314-21 EXPIRATION DATE: 1-22

## B. TYPE OF SALON:

1. Salon ☐ 2. Cosmetology (all) ☐ 3. New ☐ Booth Rental ☐ Hair Routine ☐ Home ☒ Esthetics ☐ Re-Inspection ☐ Limited Nails Investigation ☐ Other ☐

## TYPE OF INSPECTION:

## C. List of Personal Licensees (first & last)

Licensee Name	Lic #	Expires
<u>Jamaree Duncan</u>	<u>EB-80-</u>	<u>1-20-22</u>

Use additional sheet if more space is needed.

## D. During all working hours.

YES is satisfactory NO is NOT satisfactory

SDCL 36-15 ARSD 20:42

- YES NO 1. Current licenses; Rules/Regulations, Unregulated Services Sign Displayed Display correct license
- YES NO 2. Fire Extinguisher, ABC type, 5 lbs., easily accessible, charged
- YES NO 3. First aid kit that contains adhesive dressings, gloves, antiseptic, gauze, tape, blood spill procedures
- YES NO 4. Certified for microdermabrasion and/or electric nail files and/or eyelash extensions
- YES NO 5. Disinfectant available at each work station and includes manufacturer label
- YES NO 6. Disinfectant meets virucidal, fungicidal, and bactericidal requirements
- YES NO 7. Disinfectant container labeled, closed and large enough to completely immerse all implements
- YES NO 8. Disinfectant (if mixed) fresh, clean and free from contaminants
- YES NO 9. Pedicure spa and tools clean and disinfected immediately after each use
- YES NO 10. Floors, walls, ceilings, fixtures, vents clean and in good repair
- YES NO 11. Plumbing, hot/cold running water and central sewage system
- YES NO 12. Electrical, appliance cords and outlets safe and in good repair
- YES NO 13. Ventilation in work area
- YES NO 14. Restroom, clean with disposable towels, liquid soap
- YES NO 15. Storage cabinet or room for harmful supplies
- YES NO 16. Hair work stations immediately clean and disinfected after each use
- YES NO 17. Nail work stations immediately clean and disinfected after each use
- YES NO 18. Esthetics work stations immediately clean and disinfected after each use
- YES NO 19. Waste containers closed, labeled and emptied when full or at least daily
- YES NO 20. Sinks clean and disinfected immediately after each use, no hair or soap scum
- YES NO 21. Hand sanitizer or hand-washing facilities available for use
- YES NO 22. Clean closed labeled containers to store only cleaned and disinfected implements and tools
- YES NO 23. Clean closed labeled containers to store only clean towels
- YES NO 24. Closed, labeled containers for soiled towels, linens, implements
- YES NO 25. Hair tools new and/or clean and disinfected
- YES NO 26. Wigs covering used to prevent direct contact of client's scalp or hair
- YES NO 27. Clean cape used on each client or clean towel or neck strip if reusing a cape
- YES NO 28. Nail tools new and/or clean and disinfected
- YES NO 29. Esthetics tools new and/or clean and disinfected
- YES NO 30. All single-use items immediately disposed in trash after each use
- YES NO 31. All products are clean, closed, and labeled correctly, includes wax
- YES NO 32. Fluids, semifluids, creams and powders kept in clean, closed, labeled containers
- YES NO 33. Items listed in 30. dispensed with a disinfected spatula, shaker, pump, spray dispenser or single-use item
- YES NO 34. Equipment for waxing hair removal services kept clean and disinfected
- YES NO 35. Electrical equipment clean and disinfected after each service (electric clippers, electric files or curling irons)
- YES NO 36. Attachments for electrical equipment clean and disinfected and stored in a clean, closed labeled container
- YES NO 37. Home Salons – separate exit – separate from residential area
- YES NO 38. Other laws and/or rules that apply (list )

## E. Comments:

## F.

Date: 10-28-21 Time:  

Signature: not present

Inspector signature: Mary Rasmussen

Licensee reviewed inspection report with Inspector YES NO (if "no" why not)  

RECHECK  

FAIL Yellow Nov 8

PASS